

00

SECUDA

ØØ (6

5030C X-RAY DEVICE

PERKOTEK TEKNOLOJI A.S.

Mahmutbey Mah. Ordu Cad. No:29 Perkotek Plaza/Bagcilar/Istanbul
www.perkotek.com X sales@perkotek.com
0 850 811 8000



SECUDA 5030C X-RAY DEVICE



Thanks to its high resolution feature, produced as Dual Energy for precision searching, and with a tunnel length of 500 mm x 300 mm, you can display the content images of bag, suitcase, package ,envelope and SECUDA 5030A X-Ray machine is suitable for checking all kinds of passing baggage. By means of transmitting X Rays into the baggage, it immediately reflects dangerous and threatening factors on the screen. It seperates Organic -inorganic metals and shows them in different colors.

It can show the inside of even 43mm thickness steel bag without any need to open it. XRAY Generator surroundings and cabin interior surfaces are insulated with lead plates against radiation leakage. The black curtains are made of lead mixture which are located in the direction of entry and exit of the luggage and protects the health of the Xray device using operator and passing people from negative factors. It has been manufactured according to the standards of Turkey Atomic Energy Agency and received the accreditation.

SECUDA





Technicial Specifications

General Definitions

Tunnel Size	500 mm (Width) x 300 mm (Height)		
Weight	400 kg		
Conveyor Belt Speed	0.22m / sec		
Conveyor Maximum Load	170 kg		
Dose Per Examination	<2.9µGy / hour		
Resolution	<0.0787 mm metal wire		
Penetration	43 mm steel		
Film Security	Guaranteed ISO1600 Film		
X-ray Leakage	<0.05 µGy / hour (5 cm from the external housing)		

X-Ray Generator

Energy	Multi Energy
Direct Production	Up
Angle Production	80 degrees
Anode Voltage	160 Kv
Anode Power	0.4-1.2 Up
Cooling / Duty time (Duty cycle)	Oil Cooling / 100%

Display System

X-ray Sensor	L-shaped photodiode array (mono energy), 12bit depth		
Monitor	High definition color, LCD compatible, 19inch Philips brand		
Image processing	Edge enhancement, image enhancement, image illumination, darkening reduction,		
	image return ,image retrieval.		
Image Gray Level	4096		
Image Maximum Resolution	1024 x 1280 pixels.		
Image processing	24bit real time processing.		
Software	With its original software, it can display organic and inorganic materials in different colors.		



Factories	✓ Airports	 Public institutions 	🗸 Stadiums	🗸 Smart Buildings
Prisons	 Logistics Areas 	 Police Stations 	🗸 Residences	🗸 Dams
Business centers	s 🗸 Academies	✓ Hotels	🗸 Military Areas	 Shopping malls
Dining Halls	🗸 Gyms	 Activity Areas 	🗸 Fair Entries	 Public Transport Stations

PERKOTEK TEKNOLOJI A.S. perkotek.com sales@perkotek.com











ORGANIC

Atomic numbers from 1 to 10 are called organic compounds and are shown in orange. Examples of organic compounds; paper, textiles, wood and water.


INORGANIC


Those with an atomic number greater than 18 are referred to as inorganic and indicated with blue. Examples of inorganic substances are titanium, chromium, iron, steel, tin, lead, copper, silver, gold.

MIXTURE

An atomic number between 10 and 18 is called a mixture and is shown in green.







PERKOTEK TEKNOLOJI A.S. perkotek.com**J**sales@perkotek.com